

ADDENDUM NO. 1

to **CONTRACT DOCUMENTS** for

Schroeder Lane Storm Drain Project No. DO6337
Grants Pass, Oregon 97526

To All Plan Holders:

The following changes, additions, and/or deletions are hereby made a part of the Contract Documents for the construction of the Schroeder Lane Storm Drain; Project No DO6337, Grants Pass, Oregon, as fully and completely as if the same were fully set forth therein:

1. IN THE CONTRACT DOCUMENTS...

Bid Proposal - Bid Schedule: - The following bid items have been revised or added.

4	Flagging Hours, APWA/ODOT Sec. 00225.97 (a)		
	2,200	HRS	\$57.00
10	Clearing and Grubbing, per approved plans and APWA/ODOT Sec. 00310.and 00291.20(c), including all vegetation and trees marked for removal and stump grinding where necessary.		
	1	LS	\$
21	Rock Riprap, Class 50, per approved plans, installed complete.		
	30	TN	\$
22	Rock Riprap, Class 100, per approved plans, installed complete.		
	30	TN	\$

Note: Bid item 10, 21, 22: added to bid schedule. Bid item 4; Increased rate for flaggers.

2. CLARIFICATIONS...

Revised Bid Schedule is FIVE pages.

- Added Bid items 21, and 22 as Riprap. There are two different classes.
- Must Acquire an Encroachment Permit (No Fee) from Josephine County Public Works Department.
- Must always have 1 lane of traffic accessible during work hours. 2 lanes after work hours. Or use temporary traffic signaling devices.

-
- If using flaggers overnight to keep 1 lane open, you must comply with ODOT nighttime flagging regulations and hours will not be paid for under flagging bid item. Please see bid Item #2.
 - 60" pipe is supplied by Josephine County. Currently it is being held at CPI's Yard in Murphy. You will need to arrange pickup/transportation.
 - Hourly rate for flagging is now \$57.00 instead of \$52.00.
 - Added Bid item Clearing and Grubbing.
 - No Native Backfill in R.O.W.
 - Either Flat Top or Eccentric Manholes will be allowed

ATTACHED ARE THE FOLLOWING:

- **REVISED PAGES OF THE BID SCHEDULE (5 PAGES)**
- PLEASE NOTE THAT BID ITEMS HAVE BEEN **RE-NUMBERED**

PLEASE USE THESE REPLACEMENT PAGES WHEN SUBMITTING YOUR BID.

All Bidders shall acknowledge receipt and acceptance of this Addendum No. 1 by signing in the space provided and submitting the signed Addendum with the bid. Bids submitted without this Addendum will be considered irregular and may not be accepted.

RECEIPT OF THIS ADDENDUM IS ACKNOWLEDGED AND CONDITIONS ARE HEREBY

AGREED TO THIS _____ DAY OF _____ 2022.

Bidder's Name (Company)

BY: _____
(Signature)

END OF ADDENDUM NO. 1

BID SCHEDULE**Schroeder Lane Storm Drain
DO6337**

PART 00200 – TEMPORARY FEATURES AND APPURTENANCES				
Item	Quantity	Unit	Unit Price (Fig.)	Extended Amount
1	Mobilization , move in of equipment and materials per APWA/ODOT Sec. 00210, installed, complete.			
	1	LS	\$	\$
2	Work Zone Traffic Control, includes TCD, TCM and TCP per approved plans, M.U.T.C.D., and APWA/ODOT Sec. 00225 and 00225.90 (b), complete; and detours, staged road construction, etc. per Sec. 220, as required to accommodate public traffic. Temporary signal devices/after hour flagging			
	1	LS	\$	\$
3	Erosion & Sediment Control , per approved plans and APWA/ODOT Sec. 00280.00 Inlet Protection, Dust Control, Sediment Fence, Biofilter Bags, installed complete.			
	1	LS	\$	\$
4	Flagging Hours , APWA/ODOT Sec. 00225.97 (a)			
	2,200	HRS	\$ 57.00	\$
5	Traffic Control Supervisor			
	1	LS	\$	\$
6	Illuminated Traffic Safety Message Board.			
	4	EA	\$	\$
7	Construction Staking , lay out and set construction stakes and marks to establish the lines, grades, and slopes necessary for project completion, per Special Provisions Sec. 00150.15 (c).			
	1	LS	\$	\$
PART 00300 – ROADWORK				
8	Removal of Structures and Obstructions , includes removal and proper disposal of existing pipe, curb, gutter, sidewalk, sidewalk ramp, AC and saw cutting or other methods of cutting pavement, per approved plans and APWA/ODOT Sec. 00310.and 00291.20(c), (Hazardous Waste), complete.			
	1	LS	\$	\$
9	Asphalt Pavement Cutting for “T” patch , per approved plans and APWA/ODOT Section 0000310 and City pavement cut policy.			
	1,904	LF	\$	\$

10	Clearing and Grubbing, per approved plans and APWA/ODOT Sec. 00310.and 00291.20(c), including all vegetation and trees marked for removal and stump grinding where necessary.			
	1	LS	\$	
11	Subgrade Trench Stabilization , as required by Engineer to remove soft, saturated, or otherwise unsuitable materials. Work includes excavation (12-18 inches deep) and installation/compaction of backfill material, 4"-1 1/2" crushed rock.			
	1,900	TN	\$	\$
PART 00400 – DRAINAGE AND SEWERS				
12	120" Flattop Storm Drain Manhole , per approved plans, RD346 and APWA /ODOT Sec. 00470. Includes manhole, excavation, bedding and compacted backfill per APWA/ODOT Sec. 00405, adjustment to finish grade, concrete collars and pipe connections, installed, complete.			
	1	EA	\$	\$
13	96" Eccentric Storm Drain Manhole , per approved plans, GP338 and APWA /ODOT Sec. 00470. Includes manhole, excavation, bedding and compacted backfill per APWA/ODOT Sec. 00405, adjustment to finish grade, concrete collars and pipe connections, installed, complete.			
	7	EA	\$	\$
14	4" Sanitary Sewer Lateral , per approved plans and APWA/ODOT Sec. 00445. Includes pipe, trench excavation, bedding and backfill, per GP300 and APWA/ODOT Sec. 00405, installed, complete.			
	13	EA	\$	\$
15	Install 42" Storm Drain Pipe, HDPE , per approved plans, per GP300 and APWA/ODOT Sec. 00445. Includes pipe, connection to storm drain system, trench excavation, bedding and compacted backfill per APWA/ODOT Sec.00405, installed complete.			
	43	LF	\$	\$
16	Install 48" Storm Drain Pipe, HDPE , per approved plans, per GP300 and APWA/ODOT Sec. 00445. Includes pipe, connection to storm drain system, trench excavation, bedding and compacted backfill per APWA/ODOT Sec.00405, installed complete.			
	1,543	LF	\$	\$
17	Install 60" Storm Drain Pipe, HP Storm Pipe , per approved plans, per GP300 and APWA/ODOT Sec. 00445. Includes connection to storm drain system, trench excavation, bedding and compacted backfill per APWA/ODOT Sec.00405, installed complete. Pipe to be supplied by Josephine County.			
	65	LF	\$	\$
18	Install 12" Storm Drain Pipe, HDPE , per approved plans, per GP300 and APWA/ODOT Sec. 00445. Includes pipe, connection to storm drain system, trench excavation, bedding and compacted backfill per APWA/ODOT Sec.00405, installed complete.			
	161	LF	\$	\$

19	Connect Existing Storm Drain to New Storm Drain , per approved plans, and APWA/ODOT Sec. 00445. Includes all connections to existing storm drain pipe, trench excavation, bedding and compacted backfill per GP300, installed complete.			
	2	EA	\$	\$
20	Concrete Inlet, Type "D" , per GP370, approved plans and APWA/ODOT Sec. 00470. Includes excavation, backfill and all pipe connections. Installed complete.			
	8	EA	\$	\$
21	Pipe Support , per approved plans and APWA/ODOT Sec. 00470. Includes excavation, temporary pipe support, slurry backfill. Installed complete.			
	4	EA	\$	\$
22	Rock Riprap, Class 50 , per approved plans, installed complete.			
	30	TN	\$	\$
23	Rock Riprap, Class 100 , per approved plans, installed complete.			
	30	TN	\$	\$
24	Remove Existing 48" Storm Drain and Appurtenances , includes removal and proper disposal of existing 48" pipe, outlet structure, AC, backfill and saw cutting or other methods of cutting pavement, per approved plans and APWA/ODOT Sec. 00310.and 00291.20(c), (Hazardous Waste), complete.			
	1	LS	\$	\$
PART 00600 – BASES				
25	Aggregate Base Course (Driveway) , Varying thickness of ¾"-0 aggregate, compacted in place, per approved plans and APWA/ODOT Section 00640, 00641 and 02630. Installed complete for gravel driveway transitions.			
	80	TN	\$	\$
PART 00700 – WEARING SURFACES				
26	Asphalt Pavement , ½" dense, Level 2 mix, 4" compacted thickness, per APWA/ODOT Section 00744. Includes any minor valve or manhole adjustments. Installed complete.			
	700	TN	\$	\$

27	Asphalt Pavement Patch (SD Laterals), ½" dense, Level 2 mix, 4" compacted thickness, per APWA/ODOT Section 00744. Includes any minor valve or manhole adjustments. Installed complete.				
	10	TN	\$		\$
28	Asphalt Pavement (Driveway), ½" dense, Level 2 mix, 2" compacted thickness, per APWA/ODOT Section 00744. Includes sawcutting, pavement removal, excavation, base rock, gravel transition to existing driveway, any minor valve or manhole adjustments. Installed complete.				
	55	TN	\$		\$
29	Temporary Asphalt Pavement, ½" dense, Level 2 mix, 2" (2 lifts) compacted thickness, per APWA/ODOT Section 00744. Includes any minor valve or manhole adjustments. Installed complete.				
	90	TN	\$		\$
30	Concrete Curb & Gutter, Type "A" (Match Existing), per approved plans, GP700 and APWA/ODOT Sec. 00759, includes excavation, curb openings per detail, installed complete.				
	8	LF	\$		\$
31	Concrete Sidewalk (Match Existing), per approved plans, GP720 and APWA/ODOT Sec. 00759, includes excavation, base rock, concrete flatwork, installed complete.				
	210	SF	\$		\$
32	Concrete Sidewalk Ramp with Truncated Domes (Yellow), per approved plans, GP756 and APWA/ODOT Section 00759. Includes excavation, base rock, concrete flatwork, truncated domes, curb and gutter, installed complete.				
	340	SF	\$		\$
PART 00800 – PERMANENT TRAFFIC SAFETY AND GUIDANCE SYSTEMS					
33	4" White Striping (Durable), Thermoplastic, sprayed, surface, non-profiled. Per TM500 (W-2), approved plans, and APWA/ODOT Sec. 00865. Installed, complete.				
	1,550	FT	\$		\$
34	Narrow Yellow Striping (Durable), Thermoplastic, sprayed, surface, non-profiled. Per TM500 (ND/R-40), approved plans, and APWA/ODOT Sec. 00865. Installed, complete.				
	3,100	FT	\$		\$
35	Pavement Bar, Type 'B-HS', Fused thermoplastic film high skid material per approved plans and APWA/ODOT Sec. 00867. Installed, complete.				
	20	SF	\$		\$

PART 01000 – RIGHT OF WAY DEVELOPMENT AND CONTROL				
36	Landscape Restoration , per approved plans, per APWA/ODOT Sec. 01030, complete.			
	1	LS	\$	\$
PART 00200 – TEMPORARY FEATURES AND APPURTENANCES				
				\$
PART 00300 – ROADWORK				
				\$
PART 00400 – DRAINAGE AND SEWERS				
				\$
PART 00600 – BASES				
				\$
PART 00700 – WEARING SURFACES				
				\$
PART 00800 – PERMANENT TRAFFIC SAFETY AND GUIDANCE DEVICES				
				\$
PART 01000 – RIGHT-OF-WAY DEVELOPMENT AND CONTROL				
				\$
SUM OF EXTENDED TOTALS				\$
CONTRACTOR SIGNATURE:				
DATE:				