



GRANTS PASS SKATE PARK REPAIRS

LEGEND-SKATE PARK REPAIRS

- ① WET-SANDBLAST, PRESSURE WASH AND HONE CONCRETE SURFACING OF THE ENTIRE SKATE PARK TO ACHIEVE A SMOOTH MATTE FINISH (22,000 S.F. FOOTPRINT), WITH APPROVAL OF TEST AREA.
- ② SEAL ENTIRE CONCRETE SKATE PARK (APPROX. 22,000 S.F. FOOTPRINT WITH COMMERCIAL PROFESSIONAL GRADE PENETRATING SEALER), WITH APPROVAL OF TEST AREA.
- ③ POLY INJECTION OF HOLES AND CRACKS 1/4" AND LARGER WITH ELASTICIZED POLYMER.
- ④ RETOOL AND SEAL ALL CONTROL JOINTS WITH ELASTICIZED POLYMER.
- ⑤ GRIND ALL OFFSET CRACKS AND JOINTS WITH 1/8" AND LARGER ELEVATIONS DIFFERENCE.
- ⑥ REPAIR ALL LOOSE STEEL COPING.
- ⑦ GRIND SMOOTH STEEL COPING WITH EXPOSED ATTACHMENTS.
- ⑧ REDD CONCRETE COPING AT TABLE TOP (PYRAMID).
- ⑨ REMOVE AND REPLACE CONCRETE COPING AT BOWL.
- ⑩ REPAIR CONCRETE PUMP BUMP TO MATCH OTHER TWO PUMP BUMP TRANSITIONS.
- ⑪ EXTEND CONCRETE CURBS WITH METAL EDGES 2 FEET (DOWEL INTO EXISTING CONCRETE CURB AND CREATE SMOOTH STEEL TRANSITION, MATCH EXISTING PROFILE).
- ⑫ REPAIR CRACKED CONCRETE UNDER EXISTING STEEL COPING.
- ⑬ PAINT NEW CONCRETE COPING AT BOWL, APPLY PRIMER, 1-PART ELASTOMERIC EPOXY PAINT, COLOR TO BE DETERMINED.
- ⑭ REMOVE AND REPLACE EXPOSED AGGREGATE CONCRETE SIDEWALK (MATCH EXISTING).
- ⑮ REMOVE EXISTING ADJUSTABLE ELEVATED FLAT RAIL, PATCH HOLES.
- ⑯ FLUSH EXISTING STORM DRAIN LINES TO CREATE POSITIVE DRAINAGE.
- ⑰ REPAIR CONCRETE AT STEEL POST CUTOFFS.




VICINITY MAP



PLAN-GRANTS PASS SKATE PARK REPAIRS

SCALE 1"=20'



GENERAL NOTES:

1. WORK AND MATERIALS SHALL CONFORM TO THE PROVISIONS OF THE CURRENT "OREGON STANDARD SPECIFICATIONS FOR CONSTRUCTION", ODOT / AMERICAN PUBLIC WORKS ASSOCIATION (APWA), UNLESS OTHERWISE COVERED BY THE SPECIFICATIONS WRITTEN FOR THIS PROJECT OR THE "WATER STANDARDS AND SPECIFICATIONS", THE "SEWER STANDARDS AND SPECIFICATIONS" OR THE "STANDARD DRAWINGS" OF THE CITY OF GRANTS PASS.
2. IN THE EVENT OF CONFLICT IN REGULATIONS AND SPECIFICATIONS GOVERNING THIS PROJECT, THE ORDER OF PRECEDENCE IS AS FOLLOWS:
 - A) CONTRACT SPECIAL PROVISIONS;
 - B) CONSTRUCTION PLANS;
 - C) CITY OF GRANTS PASS STANDARDS AND SPECIFICATIONS;
 - D) GENERAL NOTES;
 - E) ODOT/APWA SPECIFICATIONS FOR CONSTRUCTION.
3. ALL CONSTRUCTION SHALL BE SUBJECT TO INSPECTION AND COMPLIANCE WITH THE ABOVE APPLICABLE REGULATIONS AND SPECIFICATIONS.
4. ALL CONTRACTORS AND SUBCONTRACTORS SHALL POSSESS A VALID STATE CONTRACTOR'S LICENSE AND A VALID CITY OF GRANTS PASS BUSINESS LICENSE PRIOR TO COMMENCING WORK ON THIS PROJECT. ALL CONTRACTORS AND SUBCONTRACTORS MUST ALSO BE CURRENTLY PREQUALIFIED WITH THE CITY OF GRANTS PASS FOR THE CLASS(ES) OF WORK REQUIRED PRIOR TO ANY CONSTRUCTION.
5. A MANDATORY PRE-CONSTRUCTION CONFERENCE OF ALL PARTIES SHALL BE HELD PRIOR TO ANY CONSTRUCTION.
6. THE CITY OF GRANTS PASS ENGINEERING DIVISION (541-450-6060) SHALL BE NOTIFIED 24 HOURS IN ADVANCE OF ANY STAGE OF CONSTRUCTION. THE CITY SHALL INSPECT THE CONTRACTOR'S ACTIVITIES TO INSURE COMPLIANCE WITH THE APPROVED PLANS.
7. THERE SHALL BE NO DEVIATION FROM THE APPROVED PLANS UNLESS REQUESTED IN WRITING BY CONTRACTOR AND APPROVED IN WRITING BY THE CITY.
8. UNLESS OTHERWISE NOTED, THE SAMPLING AND TESTING OF MATERIALS FOR USE ON THE JOBSITE SHALL BE AT THE EXPENSE OF THE CONTRACTOR. ALL TESTING OF MATERIALS AND WORKMANSHIP SHALL BE PERFORMED BY A CERTIFIED TESTER. RESULTS OF THE TESTS SHALL BE SENT DIRECTLY TO THE CITY AS WELL AS THE CONTRACTOR, BY THE LABORATORY. LOCATION AND FREQUENCY OF TESTS SHALL BE DESIGNATED BY THE CITY AND COORDINATED BY THE CONTRACTOR.
9. A COPY OF THE APPROVED PLANS, SPECIFICATIONS AND STANDARD DRAWINGS SHALL BE ON THE JOB SITE AT ALL TIMES WHILE WORK IS IN PROGRESS.
10. PRIOR TO FINAL ACCEPTANCE, THE CITY SHALL CERTIFY THAT ALL IMPROVEMENTS HAVE BEEN CONSTRUCTED IN ACCORDANCE WITH THE APPROVED PLANS AND SPECIFICATIONS.
11. IF THE CONTRACTOR WISHES TO USE WATER FROM THE CITY OF GRANTS PASS WATER DISTRIBUTION SYSTEM, CONTRACTOR SHALL MAKE USE OF THE BULK WATER STATION OPERATED BY THE CITY OF GRANTS PASS, AS AN OPTION, THE CONTRACTOR MAY APPLY FOR A HYDRANT METER PERMIT THROUGH THE COMMUNITY DEVELOPMENT DEPARTMENT.
12. THE CONTRACTOR SHALL MAKE ARRANGEMENTS FOR DISPOSAL SITES OUTSIDE THE RIGHT-OF-WAY, SHALL PAY ANY AND ALL COSTS INVOLVED, AND SHALL FURNISH THE CITY WITH ALL REQUIRED PERMITS AND DISPOSAL SITE AGREEMENTS.
13. THE CONTRACTOR SHALL DESIGNATE AN EMERGENCY CONTACT PERSON THAT WILL HANDLE AFTER-HOUR ISSUES RELATED TO THE PROJECT, AND SHALL PROVIDE EMERGENCY CONTACT TELEPHONE NUMBERS TO THE CITY OF GRANTS PASS.
14. ALL MATERIALS SHALL BE FURNISHED AND INSTALLED BY THE CONTRACTOR UNLESS OTHERWISE SHOWN ON THE PLANS OR LISTED IN THE CONTRACT SPECIFICATIONS.

CONCRETE STANDARDS:

1. EXCEPT AS DEFINED BY CITY OF GRANTS PASS STANDARDS OR BY CITY ENGINEER APPROVAL, ALL CONCRETE SHALL CONFORM TO SECTIONS 00440 AND 00759 OF THE CURRENT OREGON STANDARD SPECIFICATIONS FOR CONSTRUCTION MANUAL.
2. CONCRETE SHALL NOT BE PLACED UNTIL FORMS HAVE BEEN INSPECTED.
3. INSPECTION REQUESTS MUST BE MADE 24 HOURS PRIOR TO DATE OF INSPECTION. TO SCHEDULE AN INSPECTION, CALL THE COMMUNITY DEVELOPMENT MAIN LINE AT 541-450-6060.
4. CONCRETE SHALL BE COMMERCIAL GRADE RETAINING THE FOLLOWING CHARACTERISTICS:
 - ENTRAINED AIR - 4.0% TO 7.0%;
 - SLUMP - 5 INCHES OR LESS;
 - COMPRESSIVE STRENGTH - MINIMUM 3,000 PSI AT 28 DAYS;
 - TEMPERATURE - MINIMUM 50° F TO MAXIMUM 90° F.
5. ALL CONCRETE SHALL BE FORMED ON A MINIMUM 95% RD COMPACTED BASE OF 3/4"-0" CRUSHED AGGREGATE. DEPTH OF BASE VARIES WITH STRUCTURE. MINIMUM 3" COMPACTED BASE FOR SIDEWALKS, RAMPS, AND APPROACHES. MINIMUM 6" BASE FOR CURB, GUTTER, VALLEY GUTTERS AND INLETS.
6. SAFETY YELLOW TRUNCATED DOME DETECTABLE WARNING SURFACES ARE REQUIRED ON ALL SIDEWALK RAMPS AND ACCESSIBLE ROUTE ISLANDS.
7. CONCRETE EXTRUDING MACHINES SHALL OPERATE UNDER SUFFICIENT RESTRAINT TO FORWARD MOTION TO PRODUCE A WELL-CONSOLIDATED MASS OF CONCRETE.
8. ALL CONCRETE STRUCTURES REINFORCED WITH REBAR SHALL BE VIBRATED TO REMOVE VOIDS.
9. SURFACE SHALL HAVE A FINISHED TEXTURE THAT WILL NOT BE SLICK WHEN WET (MEDIUM BROOM FINISH). CURING COMPOUND MAY BE APPLIED IMMEDIATELY AFTER CONCRETE IS FINISHED. WHITE PIGMENT RECOMMENDED, CLEAR ACCEPTABLE.
10. AN EDGING TOOL SHALL BE USED ON ALL EDGES AND JOINTS.
11. PROVIDE CONTRACTION JOINTS AT 15' INTERVALS AND 'DUMMY' TOOLED JOINTS AT 5' INTERVALS ON CURBS, SIDEWALKS AND APPROACHES. CONTRACTION JOINT GROOVES SHALL BE AT MINIMUM, 1 1/2" DEEP OR ONE-THIRD THE THICKNESS OF THE CONCRETE.
12. PROVIDE EXPANSION JOINTS OPPOSITE ABUTTING EXPANSION JOINTS IN ABUTTING CONCRETE, AT EACH POINT OF TANGENCY IN THE STRUCTURE ALIGNMENT, BETWEEN DRIVEWAYS AND CONCRETE PAVEMENT, AROUND POLES, POSTS, BOXES AND OTHER FIXTURES WHICH PROTRUDE THROUGH OR AGAINST THE STRUCTURES, AT ALL BCR'S AND ECR'S, AT MAXIMUM OF 100' INTERVALS. EXPANSION JOINT MATERIAL SHALL BE OF THE BITUMINOUS, PREFORMED FILLER TYPE NOT LESS THAN 1/2" WIDE, PLACED FLUSH OR NO MORE THAN 1/8" BELOW THE CONCRETE SURFACE.
13. STRAIGHT LINE EDGES SHALL NOT VARY MORE THAN 1/4" UNDER A TWELVE-FOOT STRAIGHT EDGE.
14. CURE AND PROTECT CONCRETE AFTER PLACING AND FINISHING. KEEP STRUCTURES FREE FROM CONTACT, STRAIN AND PUBLIC TRAFFIC FOR AT LEAST SEVEN DAYS OR LONGER AS DIRECTED. MIXES TO EXPEDITE CURING MAY BE USED WITH APPROVAL OF CITY ENGINEER.
15. CONCRETE SHALL BE REMOVED TO THE NEAREST CONTRACTION JOINT, COLD JOINT OR CRACK WITHIN 4' OF THE REPLACEMENT AREA. CONCRETE SHALL BE SAW CUT WITH A SMOOTH, UNIFORM JOINT PROVIDED.
16. EXISTING A/C SHALL BE REMOVED/REPLACED ALONG ENTIRE CURB SECTION TO A MINIMUM 18" WIDTH UNLESS APPROVED BY CITY ENGINEER.

UTILITY INFORMATION

<p>ENGINEER THORNTON ENGINEERING, INC. P.O. BOX 476, 260 N. 3RD ST. JACKSONVILLE, OR. 97530 PHONE: (541) 899-1489 CONTACT: MIKE THORNTON, P.E.</p>	<p>POSTAL SERVICE U.S. POSTAL SERVICE 1636 NW WASHINGTON BLVD. GRANTS PASS, OR 97526 PHONE: (541) 956-7592 CONTACT: SCOTT McCULLOUGH</p>	<p>WATER CITY OF GRANTS PASS 101 NW "A" STREET GRANTS PASS, OR 97526 PHONE: (541) 450-6115 CONTACT: CRAIG KUHNERT</p>
<p>POWER PACIFIC POWER 1420 WILLIAMS HWY. GRANTS PASS, OR 97526 PHONE: (541) 955-7929 CONTACT: BILL EVENS</p>	<p>GAS AVISTA UTILITIES 580 BUSINESS PARK DR. MEDFORD, OR 97504 PHONE: (541) 218-9642 CONTACT: SEAN RANDES</p>	<p>SEWER CITY OF GRANTS PASS 101 NW "A" STREET GRANTS PASS, OR 97526 PHONE: (541) 450-6115 CONTACT: LANCE BAKER</p>
<p>IRRIGATION GRANTS PASS IRRIGATION DISTRICT 200 FRUITDALE DRIVE GRANTS PASS, OR 97527 PHONE: (541) 476-2582 FAX: (541)-479-9461 CONTACT: DON MILLER</p>	<p>CABLE CHARTER COMMUNICATIONS 620 ROGUE RIVER HWY. GRANTS PASS, OR 97527 (818) 974-5250 (OFFICE) (805) 428-3183 (CELL) CONTACT: MARIO MAGDALENO</p>	<p>STREET/STORM DRAIN CITY OF GRANTS PASS 101 NW "A" STREET GRANTS PASS, OR 97526 PHONE: (541) 450-6125 CONTACT: SHELLY STICHTER</p>
<p>PHONE CENTURYLINK/LUMEN 150 STEWART AVENUE MEDFORD, OR 97501 (713) 822-2611 (OFFICE) CONTACT: DAVID MOORE david.moore@lumen.com</p>		

CALL BEFORE YOU DIG



CALL OREGON UTILITY NOTIFICATION COUNCIL
 1-800-332-2344
 FORTY-EIGHT (48) HOURS BEFORE BEGINNING CONSTRUCTION

DATE:	SET	PLAN SET DESCRIPTION
7/13/21		PRELIM. PLANS - AGENCY REVIEW (60% SUBMITTAL)
8/30/21		PRELIM. PLANS - AGENCY REVIEW (90% SUBMITTAL)
1/11/23	X	FINAL PLANS - APPROVED FOR CONSTRUCTION
		CONSTRUCTION SET - APPROVED FOR CONSTRUCTION
		RECORD DRAWINGS

SCHEDULE OF DRAWINGS

SHEET	DESCRIPTION
1	SKATE PARK-PLAN

	AGENCY	APPROVED BY	DATE
POWER	PP&L		
TELEPHONE	CENTURYLINK		
GAS	AVISTA		
CABLE TV	CHARTER		
U.S. POST OFFICE	U.S. POST OFFICE		
IRRIGATION	GPID		
DOMESTIC WATER	CITY OF GP		
SANITARY SEWER	CITY OF GP		
STORM DRAINAGE	CITY OF GP		
STREETS	CITY OF GP		

CONSTRUCTION AUTHORIZED TO PROCEED IN ACCORDANCE WITH APPROVED PLANS WHEN ALL PERMITS HAVE BEEN ISSUED AND PRE-CONSTRUCTION MEETING HAS CONCLUDED.

BY _____ TITLE _____ DATE _____

App. By	Revisions	Date	No.	KID	MPT	Designed By:	Drawn By:	Checked By:	Approved:	City Engineer

SHEET SCALING: IF BAR ABOVE IS NOT 1" ADJUST ALL SCALING ACCORDINGLY

REGISTERED PROFESSIONAL ENGINEER
 14,896
 OREGON
 MAY 22, 1990
 MICHAEL P. THORNTON
 RENEWAL DATE: 6/30/2024

CITY OF GRANTS PASS
 Engineering Dept. - Community Development
 101 Northwest A Street
 Grants Pass, OR 97526
 (541) 450-6060 ph (541) 476-9218 fax

GRANTS PASS SKATE PARK REPAIRS
 COVER SHEET
 PROJECT NO. LB6189

TE JOB NO.: 21-037
 Scale: AS NOTED
 Date: 1-11-23
 Sheet 1 of 1